



KABA®

Talos revolving doors

Design and functionality

«Our entrance area is our hotel's business card – it's the first impression our guests gain on arrival and it's one that lasts. Our choice has been a Talos all-glass revolving door. Along with the stylish design we really appreciate the excellent thermal insulation it provides and how easy it is to pass through – even with luggage.»





Talos revolving doors

Talos revolving doors provide an energy efficient solution for entrance areas thanks to their thermal separation design incorporated into the façade of a building. As an option, revolving doors can be equipped with a number of features to suit our customers' demands: access for people with reduced mobility, emergency escape function, integration of manual or motor-driven night shutters and many more.

By choosing the appropriate options

Talos revolving doors can be made to meet various safety and security requirements (e.g. burglar or fire-resistant).



Swing or sliding doors installed to one side of revolving doors provide access for people with reduced mobility.

Why Talos revolving doors?



2

- excellent thermal insulation
- customised design
- solutions for emergency escape routes
- stylish all-glass versions
- Protection against noise and dirt



Fields of application



- Hotels
- Office and administrative buildings
- Shopping malls
- Airports
- Stations
- Hospitals
- Banks and financial institutions
- Museums
- Concert halls

official member of



A smart solution for any entrance



Equipped for an emergency - four-wing revolving door with approved emergency escape column



Additional security - four-wing revolving door with night shutters



All-glass design revolving door with under-floor drive


4



Revolving doors with eye-catching glossy finish



Stylish integration - All-glass revolving door in classical building



Architect: Petraccone et Vodar SCM, Building owner: Unibail

Approved emergency escape column - The door wings can be manually folded back, giving the way free in case of emergency

Talos revolving doors

Five versions, multiple options

Talos RDR-E01



Talos RDR-C01



Talos RDR-C03



Outside Ø in mm	2100 to 3700	2100 to 3700	2100 to 3700
Side walls	glass or metal-clad	glass or metal-clad	glass or metal-clad
Number of wings	3 or 4	3 or 4	3 or 4
Manual	standard	standard	-
Automatic	optional	optional	standard
Disabled function	standard for automatic units	standard for automatic units	standard
Emergency escape function	-	optional	standard
Night shutters	optional	optional	optional
Burglar resistant	-	optional	-

Talos RDR-S01



Talos RDR-C02



Outside Ø in mm	2100 to 3300	3920 to 4920
Side walls	glass	glass or metal-clad
Number of wings	3 or 4	3 or 4
Manual	standard	-
Automatic	optional	standard
Disabled function	standard for automatic units	standard
Emergency escape function	-	optional
Night shutters	optional	optional
Burglar resistant	optional	-

The logo for KABA, featuring the word "KABA" in a bold, stylized, sans-serif font. The letters are white with a dark outline, and a registered trademark symbol (®) is positioned to the upper right of the letter "A".

KABA®

Kaba Gallenschütz GmbH
Nikolaus-Otto-Strasse 1
77815 Bühl
Germany
Tel. +49 (0) 7223/286-0
Fax +49 (0) 7223/286-111
info@kgb.kaba.com

www.kaba-gallenschuetz.de